



• INTRODUCTION

• DETAILS AND OPTIONS

• TECHNICAL SPECIFICATION

INTRODUCTION

Luxurious yet light & compact inflatable tender made for fun runabouts and transfer. Spacious and clever design delivers a small but capable RIB perfect for transporting guests in comfort, as well as riding the waves. Take everything from every journey.



GOLDEN LINE 420



OVERALL LENGTH	OVERALL WIDTH	BARE WEIGHT
420 CM 13' 9" FT/IN	198 CM 6'6" FT/IN	255 KG 562 LBS
PASSENGER CAPACITY	MAX. ENGINE	ENGINE SHAFT
6 PPL	60 HP 44.1 KW	20" LONG



BOW SECTION

Compact bow has everything one may need – bow step plate and railing for safe and comfortable entry, single yet roomy seat with storage for the guests and their belongings, and it can be additionally extended with optional sundeck giving a nice sunbathing area to relax in.



STEERING CONSOLE

Little and functional steering console features a front seat with storage, safety handrails, windshield and dashboard for up to 9" screen with cupholder. Mechanical steering system and wheel come in standard equipment.







DRIVER SEAT

Classic rear seat, complete with two side handrails and a generously sized storage compartment, that comfortably fits two people – driver and passenger.





REAR SECTION

Typically for most Golden Line RIBs it comes with handy fiberglass stepends on the inflatable tube. Additionally equipped with an optional waterski mast it makes a perfect little watersports boat.



BIMINI TOP

Classic solution for a mid-sized boat – bimini top. It covers nearly the entire boat and should be folded when the boat is in motion.





TECHNICAL SPECIFICATION

G420

OVERALL LENGTH	CM FT/INCHES	420 13'9"	LOADING CAPACITY	KG LBS	750 1653
INSIDE LENGTH	CM FT/INCHES	280 9'2"	PASSENGER CAPACITY	NUMBER	6
OVERALL WIDTH	CM FT/INCHES	198 6'6"	ENGINE RECOMMEND	HP KW	50 36.8
INSIDE WIDTH	CM FT/INCHES	100 3'3"	ENGINE MAX	HP KW	60 44.1
CHAMBERS	NUMBER	4	ENGINE WEIGHT MAX	KG LBS	120 265
TUBE DIAMETER	CM INCHES	48 19"	ENGINE SHAFT LENGTH	INCHES	20" (LONG)
TUBE FABRIC	MATERIAL	PVC HYPALON	MIDSECTION/AFT DEADRISE	DEGREES	20°/17°
BARE BOAT WEIGHT	KG LBS	255 562	BUILT IN FUEL TANK CAPACITY	L	55
IN-PACKAGE WEIGHT	KG LBS	330 726			

STANDARD FEATURES

- Fiberglass deep-V hull with anti-skid deck
- Bow and rear storage compartments
- Multi-chamber inflatable tube with handles and GRP stepends
- Bow step plate with mooring cleats
- Steering console with windshield, seat and storage
- Dashboard for up to 9" screen, mechanical steering system and wheel
- Deck integrated rear seating sofa
- Set of seating cushions and backrests
- Integrated cupholder, handrails, cleats, towing & lifting eyes
- Pump, paddles and maintenance kit

OPTIONAL EQUIPMENT

- Inbuilt fuel system with 55lit / 14gal tank
- Electrical package for boat & console
- Bow railings, on-tube installation
- Waterski towing mast
- Premium steering wheel
- Removable bow sundeck kit
- Canvas bimini-top, collapsible
- Overall and harbour covers
- SeaDek soft anti-skid flooring
- Keel & tube protector packages
- Black powder coated stainless steel upgrade
- Overpressure valves

EXAMPLES OF COLOUR COMBINATIONS



EXAMPLES OF COLOUR COMBINATIONS



EXAMPLES OF COLOUR COMBINATIONS



EXAMPLES OF COLOUR COMBINATIONS



EXAMPLES OF COLOUR COMBINATIONS



EXAMPLES OF COLOUR COMBINATIONS



EXAMPLES OF COLOUR COMBINATIONS

